

Be prepared.



Aegis-LBE-08

## Emergency Series Data Sheet

Aegis-LBE-08, 2554e, 2510e

Scitec emergency telephones help prepare your facilities to meet the communications needs of staff and customers when time matters most. Choose the Aegis-LBE-08 with full-length red emergency faceplate or red 2510e or 2554e desk and wall sets.

## HIGHLIGHTS

- One-Line Telephone
- Full-Length Red Emergency Faceplate (Aegis-LBE-08)
- Dual NEON/LED Message Waiting Light (Aegis-LBE-08)
- Wall Mount Bracket Sold Separately (Aegis-LBE-08)
- RJ11 Data Port (Aegis-LBE-08/2510e)
- Industrial Grade Construction with Matte or Gloss Finish Design
- Non-Slip Base
- Compatible with All Major PABX Systems
- Volume Control Toggle Key (Aegis-LBE-08)
- 4 Step Handset Volume Control (Aegis-LBE-08)
- High/Low Ringer Volume Control (Aegis-LBE-08/2510e)
- HAC-Compatible Handset
- ADA-Compliant Volume Control
- Available in Ash or Black (Aegis-LBE-08) or Red (2510e/2554e)
- 5 Year Warranty



2510e



2554e

# CONFIGURATIONS

## Single-Line Telephone

Aegis-LBE-08	Part Number 80103 (ash) / Part Number 80123 (black)
2510e Desk Set	Part Number 25003 (red)
2554e Wall Set	Part Number 25403 (red)

# PRODUCT INFORMATION

## Installation Includes

- RJ11 Line Cords 12 ft/3.66 m
- Handset Coil Cord 10 ft/3.05 m
- Optional Wall Mount Bracket (not included) (Aegis-LBE-08)

## Line, MW, and Ringer Specification

- Line Voltage—Auto-Detect
- Line Current 20mA-80mA
- Auto-Detect for 90VDC Neon or Low Voltage LED Applications (Aegis-LBE-08)
- Ringer Equivalence—0.6B (Aegis-LBE-08)
- Ringer Equivalence—1.1B (2510e and 2554e)

## Unit Dimensions

- 8.75" (l) x 4.0" (w) x 4.5" (h) (2554e)
- 9.0" (l) x 8.75" (w) x 5.0" (h) (2510e)
- 8.75" (l) x 6.0" (w) x 2.75" (h) (Aegis-LBE-08)

## Packaging Weight

- Master Pack Quantities of 12 Units, 31lbs/14.06kg (Aegis-LBE-08)
- Master Pack Quantities of 8 Units, 24lbs/10.89kg (2510e/2554e)

## Certifications

- FCC Part 68, FCC Part 15 & UL 1459 Ref.
- ADA/FCC Hearing Aid Compliant

U.S. Toll Free 1 800 794 8353  
Telephone +1 719 638 8821  
Fax +1 719 638 8815

[info@scitecinc.com](mailto:info@scitecinc.com)  
[scitecinc.com](http://scitecinc.com)

